



SAFETY DATA SHEET 5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

Product number 800-152-1105 D3

Container size 5L

UFI: MGKY-QWF3-JJ7Q-ARUN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

Uses advised against Not for Oral Consumption. Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Mirius™

A Coventry Group Company

Woodhams Road Siskin Drive Coventry CV3 4FX

Coventry Chemicals (Ireland) Limited

4th Floor

8-34 Percy Place

Dublin 4 Ireland

Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com

Contact person For content of safety data sheet:, sds@mirius.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human

health and/or the environment)

National emergency telephone UK:

number In case of a medical emergency following exposure to a chemical call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

Ireland: For information or to report a poisoning incident contact The National Poisons

Information Centre (01 8092166)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

Health hazards Eye Irrit. 2 - H319

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P102 Keep out of reach of children.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with local regulations.

Contains C12-14 ALKYL ETHER SULFATES

Detergent labelling < 5% anionic surfactants, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3-

dio

Supplementary precautionary

P101 If medical advice is needed, have product container or label at hand.

statements P103 Read label before use.

P391 Collect spillage.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended). This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14 ALKYL ETHER SULFATES 1-5%

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

2/17

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

<1%

CAS number: 308062-28-4 EC number: 931-292-6

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22. Xi;R38,R41. N;R50.

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

PHOSPHORIC ACID <1%

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C;R34

Skin Corr. 1B - H314 Eye Dam. 1 - H318

BRONOPOL (INN) <1%

CAS number: 52-51-7 EC number: 200-143-0

M factor (Acute) = 10

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R21/22 Xi;R37/38,R41 N;R50

Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Provide eyewash station.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe

or persist after washing. Show this Safety Data Sheet to the medical personnel.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

4.2. Most important symptoms and effects, both acute and delayed

General information Provide eyewash station.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at

ambient temperature.

Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of

GI Tract. A soapy taste may be reported.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the

following adverse effects: Irritation and redness, followed by blurred vision.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Treat the spilled material according to the instructions

in the clean-up section. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains,

sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective

clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do

not mix with other household chemical products. Do not mix with acid.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room Storage precautions

temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

C12-14 ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL Workers - Inhalation; Long term systemic effects: 175 mg/m³

> Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day

PNEC - Fresh water; 0.24 mg/l

- marine water; 0.024 mg/l

- Intermittent release; 0.071 mg/l

 Sediment, Fresh water; 0.917 mg/kg - Sediment, marine water; 0.092 mg/kg

- Soil; 7.5 mg/kg

- STP; 10,000 mg/l

COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)

DNEL Workers - Inhalation; Long term systemic effects: 73.4 mg/m³

Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day

Workers - Dermal; Long term local effects: 0.0936 mg/cm²

General population - Inhalation; Long term systemic effects: 21.73 mg/m3 General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

PNEC - Fresh water; 0.007 mg/l

- marine water; 0.001 mg/l

- STP; 830 mg/l

Sediment (Freshwater); 0.195 mg/kgSediment (Marinewater); 0.019 mg/kg

- Soil; 0.035

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)

DNEL Workers - Inhalation; Long term systemic effects: 15.5 mg/m³

Workers - Dermal; Long term systemic effects: 11 mg/kg/day

General population - Inhalation; Long term systemic effects: 3.8 mg/m³ General population - Dermal; Long term systemic effects: 5.5 mg/kg/day General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC - Fresh water; 0.034 mg/l

- marine water; 0.003 mg/l

- STP; 24 mg/l

Sediment (Freshwater); 5.24 mg/kgSediment (Marinewater); 0.524 mg/kg

- Soil; 1.02 mg/kg

DIETHANOLAMINE (CAS: 111-42-2)

DNEL Workers - Inhalation; Long term local effects: 1 mg/m³

Workers - Dermal; Long term systemic effects: 0.13 mg/cm²
General population - Inhalation; Long term local effects: 0.25 mg/m³

General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC - Fresh water; 0.02 mg/l

- marine water; 0.002 mg/l

- STP; 100 mg/l

Sediment (Freshwater); 0.092 mg/kgSediment (Marinewater); 0.009 mg/kg

- Soil; 0.007 mg/kg

PHOSPHORIC ACID (CAS: 7664-38-2)

DNEL Workers - Inhalation; Long term systemic effects: 10.7 mg/m³

Workers - Inhalation; Long term local effects: 1 mg/m³ Workers - Inhalation; Short term local effects: 2 mg/m³

General population - Inhalation; Long term systemic effects: 4.57 mg/m³ General population - Inhalation; Long term local effects: 0.36 mg/m³ General population - Oral; Long term systemic effects: 0.1 mg/kg/day

BRONOPOL (INN) (CAS: 52-51-7)

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

DNEL Workers - Inhalation; Long term systemic effects: 4.1 mg/m³

Workers - Inhalation; Short term systemic effects: 12.3 mg/m³

Workers - Inhalation; Long term local effects: 4.2 mg/m³

Workers - Inhalation; Short term local effects: 4.2 mg/m³

Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day

Workers - Dermal; Short term systemic effects: 7 mg/kg/day

Workers - Dermal; Long term local effects: 0.013 mg/cm²

Workers - Dermal; Short term local effects: 0.013 mg/cm²

General population - Inhalation; Long term systemic effects: 1.2 mg/m³

General population - Inhalation; Short term systemic effects: 3.7 mg/m³

General population - Inhalation; Long term local effects: 1.3 mg/m³

General population - Inhalation; Short term local effects: 1.3 mg/m³

General population - Dermal; Long term systemic effects: 1.4 mg/kg/day General population - Dermal; Short term systemic effects: 4.2 mg/kg/day

General population - Dermal; Long term local effects: 0.008 mg/cm²

General population - Dermal; Short term local effects: 0.008 mg/cm²

General population - Oral; Long term systemic effects: 0.35 mg/kg/day

General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC - Fresh water; 0.01 mg/l

- marine water; 0.008 mg/l

- Intermittent release; 0.0025 mg/l

- STP; 0.43 mg/l

- Sediment (Freshwater); 0.041 mg/kg

- Sediment (Marinewater); 0.00328 mg/kg

- Soil; 0.5 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Personal protection

This datasheet is not a Risk/COSHH assessment. Data given here should be used as part of a risk assessment. Data supplied here relates to the product as supplied, not in use solutions, these will have a lower classification. This product is not classified for skin irritation or

corrosion, but the use of gloves for extended use is recommended.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.

Hand protection

Although normal "in - use" dilutions of this product are unclassified, the use of gloves is recommended as good hygiene practice.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

Environmental exposure

controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid. Colour Green.

Odour Unperfumed. Odour threshold Not applicable.

pΗ pH (concentrated solution): 7.5

Melting point Not applicable.

Initial boiling point and range 90 - 105 Degrees C.

Flash point Not applicable. **Evaporation rate** Not applicable. **Evaporation factor** Not applicable.

Flammability (solid, gas) Not flammable. This product does not sustain combustion.

Upper/lower flammability or

explosive limits

Product is not considered to be flammable nor explosive

Other flammability Not applicable. Vapour pressure Not applicable. Vapour density Not applicable. Relative density 1.015 @ 20°C **Bulk density** Not applicable. Solubility(ies) Soluble in water.

Partition coefficient Not technically possible for a mixture.

Auto-ignition temperature Not applicable. **Decomposition Temperature** Not applicable.

Viscosity No information available.

Explosive properties Not considered to be explosive. Explosive under the influence

of a flame

Not considered to be explosive.

Does not meet the criteria for classification as oxidising. Oxidising properties Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Under normal storage conditions this product is stable.

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅o) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Calculation method. Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes eye irritation. Calculation method.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information This product has low toxicity.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at

ambient temperature.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Prolonged or repeated exposure

may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild

dermatitis, allergic skin rash.

Eye contact Irritating to eyes. Severe irritation, burning, tearing and blurred vision.

11.2 Information on other

hazards

11.2.1. Endocrine disrupting

properties

This product is not classified as, nor contains substances classed as having endocrine

disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

11.2.2 Other information None known

Toxicological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Acute toxicity - oral

Acute toxicity oral (LD₅o

4,100.0

mg/kg)

Species Rat

ATE oral (mg/kg) 4,100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,001.0

mg/kg)

Species Rat

ATE dermal (mg/kg) 2,001.0

COCONUT DIETHANOLAMIDE

Acute toxicity - oral

Acute toxicity oral (LD₅o

2,001.0

mg/kg)

Species Rat

ATE oral (mg/kg) 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,001.0

mg/kg)

Species Rabbit

ATE dermal (mg/kg) 2,001.0

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

1.064.0

Species Rat

ATE oral (mg/kg) 1,064.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.1

mg/kg)

Species Rat

ATE dermal (mg/kg) 2,000.1

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye Causes serious eye irritation.

damage/irritation

Skin sensitisation

Skin sensitisation Not sensitising.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

PHOSPHORIC ACID

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

300.1

Species Rat

Notes (oral LD₅₀) REACH dossier information. Harmful if swallowed.

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.1

mg/kg)

Species Rabbit

Notes (dermal LD₅₀) REACH dossier information.

ATE dermal (mg/kg) 2,000.1

Skin corrosion/irritation

Corrosive to skin. REACH dossier information. Skin corrosion/irritation

Serious eye damage/irritation

Serious eye Causes serious eye irritation. REACH dossier information.

damage/irritation

Respiratory sensitisation

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro Negative. This substance has no evidence of mutagenic properties.

Genotoxicity - in vivo No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity -

Fertility - NOAEL >500 mg/l, Oral, Rat Based on available data the classification

fertility

criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects. Note: Comment refers to the neat product.

Normal use solutions are not classified as environmentally harmful.

Ecological information on ingredients.

PHOSPHORIC ACID

Ecotoxicity The product components are not classified as environmentally hazardous.

> However, large or frequent spills may have hazardous effects on the environment. The product may affect the acidity (pH) of water which may have hazardous effects

on aquatic organisms.

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)

REACH dossier information.

Acute toxicity - aquatic

EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna

invertebrates

REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)

life stage

REACH dossier information.

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

Chronic toxicity - aquatic

NOEC, 21 days: 0.27 mg/l, Daphnia magna

invertebrates

REACH dossier information.

COCONUT DIETHANOLAMIDE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 2.4 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 3.2 mg/l, Daphnia magna

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Toxicity Very toxic to aquatic organisms. Supplier's information.

Acute aquatic toxicity

LE(C)₅₀ $0.1 < L(E)C50 \le 1$

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 2.67 mg/l, Freshwater fish

Supplier's information.

Acute toxicity - aquatic

invertebrates

LC₅₀, 48 hours: 3.1 mg/l, Daphnia magna

Acute toxicity - aquatic

Supplier's information.

plants

EC₅₀, 72 hours: 0.146 mg/l, Freshwater algae

Chronic aquatic toxicity

Chronic toxicity - fish early Supplier's information.

life stage

NOEC, 302 days: 0.42 mg/l, Freshwater fish

Chronic toxicity - aquatic

Supplier's information.

invertebrates

NOEC, 21 days: 0.7 mg/l, Daphnia magna

PHOSPHORIC ACID

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 3-3.25 pH , Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

EC₅o, 48 hours: 100 mg/l, Daphnia magna

invertebrates

NOEC, : 56 mg/l, Daphnia magna

Chronic aquatic toxicity

Short term toxicity -

NOEC, 72 hours: 100 mg/l,

embryo and sac fry stages

Chronic toxicity - aquatic

EC₅₀, : 100 mg/l, Freshwater invertebrates

invertebrates REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

Biodegradation Expected to be readily biodegradable.

Water - Degradation 100%: 28 days

REACH dossier information.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Biodegradation The substance is readily biodegradable.

PHOSPHORIC ACID

Biodegradation No information available.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not technically possible for a mixture.

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: ~ 0.3 REACH dossier information.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Bioaccumulative potential No information available.

PHOSPHORIC ACID

Bioaccumulative potential No information available.

Partition coefficient log Pow: -2

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Mobility The product is soluble in water.

Adsorption/desorption

coefficient

- Log Koc: 0.34 @ °F

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Mobility The product is soluble in water.

PHOSPHORIC ACID

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvBThis product does not contain any substances classified as PBT or vPvB.

assessment

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

12.6. Endocrine disrupting

properties

Endocrine disrupting This product is not classified as, nor contains substances classed as having endocrine

properties disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Results of PBT and vPvB

This substance is not classified as PBT or vPvB according to current UK criteria.

assessment

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Results of PBT and vPvB

This substance is not classified as PBT or vPvB according to current UK criteria.

assessment

PHOSPHORIC ACID

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria.

assessment

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Other adverse effects Not determined.

PHOSPHORIC ACID

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.

Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).

EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).

The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures (as amended)

European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) (as amended)

European Regulation (EC) No 648/2004 on detergents (as amended)

European Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products (BPR) as amended

Guidance Workplace Exposure Limits EH40.

COSHH Essentials.

ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

5L SUPER PROFESSIONAL GREEN WASHING UP LIQUID D3

No information available.

SECTION 16: Other information

Abbreviations and acronyms DNEL: Derived No Effect Level.

used in the safety data sheet PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

Revision commentsNOTE: Lines within the margin indicate significant changes from the previous revision. Note:

Finished product SDS take their revision history from the parent bulk liquid SDS. The revision

data will show that of the parent liquid.

Revision date 15/03/2024

Revision 8

Supersedes date 11/08/2023

SDS number 20609

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----