

Approval Signatories	Position	Signatures	Date
K Andrew	Q A Manager		
Joji	Purchasing		
D Cross	Account Manager		

## PRODUCT SPECIFICATION

**DESCRIPTION: FILM FRONT 250X250MM SULPHITE BAG**

**BORDER CODE: FFB1028**

**CUSTOMER CODE: G01256 / FP512**

**MATERIAL NO: 1740**


CRITICAL CRITERIA			
DESCRIPTION	UNITS	SPECIFICATION	TOLERANCE
PRODUCT DESCRIPTION	N/A	FILM FRONT BAG	N/A
UNIT WT. (INDIVIDUAL BAG)	GRAMS	3.48	±10%
TOTAL WT. EXCLUDING OUTER	KGS	3.48	±10%
TOTAL WT. INCLUDING OUTER	KGS	3.78	±10%
QUANTITY PER OUTER PACK	BAGS	1000	N/A
INNER PACKAGING DESCRIPTION	N/A	N/A	N/A
INNER PACKAGING SIZE	N/A	N/A	N/A
OUTER PACKAGING DESCRIPTION	N/A	2 PLY DOUBLE WALL CARTON	N/A
MATERIAL(S) TYPE (+ ADDITIVES %)	N/A	VIRGIN SULPHITE / OPP VIRGIN	N/A
MATERIAL(S) COLOUR	N/A	WHITE / CLEAR	N/A
PRINTED OR PLAIN (PANTONE REFS)	N/A	PLAIN	N/A
PAPER THICKNESS (AVERAGE)	GSM	39	±10%
FILM THICKNESS (AVERAGE)	MU	12	±10%
WIDTH	MM	250	±5%
LENGTH	MM	250	±5%
HANDLE TYPE	N/A	N/A	N/A
FINISHING DETAILS	%	CUT OFF TO BE FLUSH MATERIAL TO BE FREE OF LOOSE CUTTINGS PAPER DUST OR PAPER PARTICULATES. PRODUCT SHOULD BE SUITABLE FOR PURPOSE.	N/A

SECONDARY CRITERIA			
DESCRIPTION	UNITS	SPECIFICATION	TOLERANCE
OUTER BARCODE - ON LABEL	INT 2 OF 5	05036895901974	N/A
INNER BARCODE	EAN - 13	N/A	N/A
SAFETY PERFORATIONS	N/A	N/A	N/A
BLOCKHEAD TYPE	N/A	N/A	N/A

ADDITIONAL CRITERIA			
DESCRIPTION	UNITS	SPECIFICATION	TOLERANCE
APPLICABLE REGULATIONS	N/A	FOOD CONTACT REGULATIONS MATERIAL AND ARTICLES IN CONTACT WITH FOODSTUFF 1935/2004 & 10/2011/EC PACKAGING REGULATIONS 94/62/EC. REACH REGULATION	N/A
ADDITIONAL INFORMATION	N/A	N/A	N/A


PACKAGING TAX INFORMATION		SAP CODE	1740
PART	MATERIAL	CLASSIFICATION	NW PER CARTON (kg)
PRODUCT MATERIAL	Virgin	2	1.2400
PRIMARY PACKAGING 1	Virgin	2	0.0180
PRIMARY PACKAGING 2	N/A	1	0.0000
<b>TOTAL PPT WEIGHT</b>			<b>1.258kg</b>

## PRODUCT PHOTO



**LABEL TO BE STRUCK ON CARTON**

FILM FRONT BAG 250 X 250mm  
 FFB1028 / SAP1740 / FP512 / GO1256/  
 14179



05036895901974

UNIT QUANTITY 1000approx

**VENDOR NO :** **PO NO :**

HEIGHT OF BARCODE SHOULD BE 32 MM ATLEAST. IT SHOULD SCAN. PHOTOCOPIES NOT ACCEPTABLE

**CARTON & PALLET DETAILS/DIMENSIONS**


OUTER CARTON DIMENSIONS: 305X264X124MM

PALLET TYPE / SIZE: GKN BLUE CHEP / 1000 X 1200MM

TOTAL NO CARTONS PER LAYER: 12




TOTAL NO OC LAYER PER PALLET: 10

TOTAL NO CARTONS PER PALLET: 120



Product Length	1056
Product Width	915
Product Height	1240
Load Ref.	1 C
Area Used	80.6%
Cube Used	74.0%
Per Layer	12
Layers	10
Case /Load	120

Buttons:

## SUMMARY OF AMENDMENTS

Description	Amendments Details	Amendments Dates
<b>Product Description</b>		
<b>Total Wt. Excluding Outer Pack</b>	Weight Amended	29.07.2022 / 12.01.2024
<b>Total Wt. Including Outer Pack</b>	Weight Amended	29.07.2022 / 12.01.2024
<b>Quantity Per Outer Pack</b>		
<b>Unit Wt. (Individual bag)</b>	Weight Amended	12.01.2024
<b>Inner Packaging Description</b>		
<b>Inner Packaging Size</b>		
<b>Outer Packaging Description</b>		
<b>Material(s) Type (+ Additives %)</b>		
<b>Material(s) Colour (Schulman</b>		
<b>Printed or Plain (Pantone Refs)</b>		
<b>Lamination</b>		
<b>Opacity</b>		
<b>Film Thickness (Average)</b>		
<b>Film Thickness (Spot)</b>		
<b>Closed Width</b>		
<b>Open Width</b>		
<b>Length</b>		
<b>Side* / Bottom* Gusset Width</b>		
<b>Handle Type and Dimensions</b>		
<b>TOT</b>		
<b>Cut Out</b>		
<b>Outer Barcode</b>		
<b>Inner Barcode</b>		
<b>Safety Perforations</b>		
<b>Blockhead Type</b>		
<b>Tensile MD</b>		
<b>Tensile CD</b>		
<b>Elmendorf MD</b>		
<b>Elmendorf CD</b>		
<b>Ultimate Lift</b>		
<b>Jog Test</b>		
<b>Dart Impact</b>		
<b>Ink Adhesion</b>		
<b>Puncture Resistance</b>		
<b>Artwork</b>		
<b>Knife / Line Drawings</b>		
<b>Labels</b>	Outer Label Amended	04/08/2015
<b>Pallet Configuration</b>		
<b>Others</b>	Packaging Tax Added	29.07.2022